

STICK TO EASY SOLUTIONS

P-TOUCH Labeling Solutions

- Easy to use
- Label application keys
- Store common labels into memory
- Auto tape sensing
- Auto type sizing
- Graphical LCD screens
- Automatic serialization
- Designed by labeling experts



BETTER WITH BROTHER

Brother is here to make your job easier. We understand your time is important and that efficiency really matters. From clearly labeled application keys and intuitive menus to on-screen prompts, anyone can make professional labels in seconds.

We made printing even easier with our free mobile apps, so all you need is your phone. Our ultradurable, preloaded laminated labels feature a drop-in cartridge design that meets the highest industry standards.

We know you need to get the job done the right way, the first time. With incredible ease of use and smart solutions, it's easy to see the Brother difference.

Models for All Labeling Needs



DATACOM



MRO



AUDIO/VISUAL



ELECTRICAL



BROADCASTING



SAFETY

Industrial Label Cartridges

Laminated Tape Structure




Image is for illustrative purpose only



BROTHER APPS

Brother Apps available on iOS and Android make printing labels easy.



iPrint & Label

Create new, customizable templates and labels with wireless printing



Cable Label Tool

Customizable templates, label creation, and wireless printing



Transfer Express

House and transfer database files on demand



iLink & Label

Download information from Fluke Networks LinkWareLive and transfer to PT-E550W



Abrasion Resistance

After 50 round-trip passes with a one-kilogram-weighted sand eraser, Brother laminated tapes only came up slightly scratched.



Laminated Tape Adhesive Strength

Brother laminated tapes will stick to almost any surface, including stainless steel, glass, PVC, acrylic, polypropylene, and polyester-coated wood. The tapes stand up to hot, cold, and humid conditions, and adhere better when heated.



Chemicals and Water

After bathing Brother laminated tapes in a variety of chemicals for two hours, they still adhered to their surfaces with little damage.



Fade Resistance

After being placed in strenuous environments, including extreme heat and water submersion, only yellow tapes showed significant signs of fading while the others showed little sign of fading to the eye.



P-TOUCH EDGE LABEL PRINTERS

PT-E550W



USB



Wi-Fi



Auto-Cut



Label Width



9 QUICK APPLICATION KEYS

Turn your smartphone or tablet into a wireless jobsite labeling partner with built-in Wi-Fi on the PT-E550W and Brother mobile apps. Easily serialize a list of labels with the shortcut key and print with a series of automatic half-cuts for easy peeling and application.

Tape Sizes: up to 24mm HGe, TZe, and HSe tapes

Battery: Li-ion rechargeable battery (included) or 6 AA batteries

Best for: Low-, medium-, and high-volume project labeling

Serialization: Serialize, plus reduce waste and improve efficiency with automatic half-cuts

Label types: Industry-specific predesigned database capable templates, plus all PT-E300 label types

Compatibility: Connect to a PC to import a database or saved labels; access mobile apps via Wi-Fi to transfer data and access predesigned label templates.

2-YEAR
EXCHANGE WARRANTY



[WATCH NOW](#)

PT-E500

The power and printing capabilities of the PT-E550W without half-cuts and built-in Wi-Fi.

[WATCH NOW](#)



The PT-E300 adds more label applications keys and more professional features, and the large QWERTY keyboard makes data entry even easier. It includes over 300 built-in industrial symbols and nine barcode symbologies.

Tape Sizes: Up to 18mm HGe, TZe, and HSe tapes

Battery: Li-ion rechargeable battery (included) or 6 AA batteries

2-YEAR
EXCHANGE WARRANTY



Simple menus and built-in label application keys help make the PT-E110 easy to create high-quality laminated labels. With high-resolution text and exceptional durability, your labels will leave a truly professional touch.

Tape Sizes: Up to 12mm HGe and TZe tapes

Battery: 6 AAA alkaline batteries or optional AC adaptor

2-YEAR
EXCHANGE WARRANTY



PT-E300

4 QUICK
APPLICATION
KEYS

18mm
MAX

Label Width



Manual Cut

Best for: Low- to medium-volume labeling, large crews

Serialization: Serialize with stop-to-cut functionality

Label types: Patch panel labels, barcodes, heat-shrink, electrical panels, terminal blocks, plus all PT-E110 label types

[WATCH NOW](#)

PT-E300M

(Without the Kit)



PT-E110

4 QUICK
APPLICATION
KEYS

12mm
MAX

Label Width



Manual Cut

Best for: Low-volume labeling, large crews

Serialization: Serialize a strip of labels for manual hand-cuts

Label types: Cable flag, cable wrap, faceplate labels

[WATCH NOW](#)



P-TOUCH DESKTOP PRINTERS

PT-E800W



Best for: Low-, medium-, and high-volume project/field application labeling

Print speed: Up to 2.3 IPS

Print resolution: Up to 360 DPI

Compatibility: Print from a PC with the included P-touch Editor software or from a mobile device with the Brother label design apps.

[WATCH NOW](#)

The PT-E800W is a wireless, transportable labeling system that prints high-quality labels. It features a detachable full-size keyboard, internal memory for label design templates, storage space for extra tapes, and a handle for easy carrying.

Tape Sizes: up to 36mm HGe, TZe, and HSe tapes
Battery: Li-ion rechargeable battery



2-YEAR
LIMITED WARRANTY



PT-P750WVP



Best for: Low-, medium-, and high-volume project/field application labeling

Print speed: Up to 1.2 IPS

Print resolution: Up to 180 DPI

Compatibility: Print from a PC with the included P-touch Editor software or from a mobile device with the Brother label design apps with Wi-Fi or NFC.

[WATCH NOW](#)

The PT-P750WVP comes with wireless connectivity and software that makes large projects simple. Design and print labels using an Excel® database from a Windows® computer or print on demand using a smartphone or tablet.

Tape Sizes: Uses up to 24mm HGe, TZe, and HSe tapes
Battery: Li-ion rechargeable battery or AC adapter (both included), or 6 AA alkaline batteries




2-YEAR
LIMITED WARRANTY



The compact PT-P900W printer produces wide, laminated labels up to 36mm and features an automatic cutter that can trim continuous tape to any length either one at a time or as a strip of pre-cut labels.

Tape Sizes: up to 36mm HGe, TZe, and HSe tapes
Power: AC adaptor or optional Li-ion rechargeable battery

PT-P900W



2-YEAR
LIMITED WARRANTY



Best for: Low-, medium-, and high-volume project/field application labeling

Print speed: Up to 3.1 IPS


Print resolution: Up to 360 DPI

Compatibility: Print from a PC with the included P-touch Editor software or from a mobile device with the Brother label design apps.

[WATCH NOW](#)




PT-P950NW



All the great features of PT-P900W with added wired network functionality to print labels from several devices at once, including tablets and smartphones.



PT-P900



The power and printing capabilities of PT-P900W, but without built-in Wi-Fi.

ACCESSORIES

Customize your PT-P900 series printers to fit your needs. With add-on accessories, expand printer features for your specialized jobs today and tomorrow.



Li-ion Rechargeable Battery Pack (PA-BT-4000LI) + Battery Base (PABB002)¹: A long-life Li-ion rechargeable battery increases the portability of your labeling process.

Touch Panel and Display Unit (PATDU003)²: Use the keypad and display to save commonly used templates, call up a searchable database, and print.

Bluetooth® Module (PABI002): Expand your wireless device connectivity options to include Bluetooth with this module that attaches to the back of the printer.

¹Li-ion Rechargeable Battery Pack & Battery Base are both sold separately. Battery Pack requires pre-installed battery base.

²Compatible with PT-P950NW only.



P-TOUCH INDUSTRIAL LABEL CASSETTES

Brother is the only manufacturer to offer a preloaded hassle-free laminated label in a drop-in cartridge design for a durable and professional quality label. The cassettes come in a variety of sizes, colors and adhesives to meet numerous applications and environments.

Choose the Right Label Tape for Your Job

	Cables / Wires	Faceplates	Patch Panels (Smooth Surface)	Patch Panels (Textured Surface)
Flexible ID				
Standard Adhesive				
Extra-Strength Adhesive				
Tamper Evident				



HGe TAPE HGe tape is designed for commercial and industrial applications. It prints laminated labels much faster than any current P-touch label printer and with a higher resolution up to 360x720 dpi.

Extra-Strength Adhesive - Designed to use on plastics, textured and hard to stick surfaces

	6mm (.23 in)	9mm (.35 in)	12mm (.47 in)	18mm (.7 in)	24mm (.94 in)	36mm (1.4 in)
BLACK ON WHITE	HGeS2115pk	HGeS2215pk	HGeS2315pk	HGeS2415pk	HGeS2515pk	HGeS2615pk
BLACK ON YELLOW		HGeS6215pk	HGeS6315pk	HGeS6415pk	HGeS6515pk	HGeS6615pk
BLACK ON MATTE SILVER				HGeS9415pk	HGeS9515pk	HGeS9615pk
BLACK ON CLEAR		HGeS1215pk	HGeS1315pk	HGeS1415pk	HGeS1515pk	

Standard Adhesive - Designed to use for most general purposes

HGe Extra-Standard Adhesive Tapes	6mm (.23 in)	9mm (.35 in)	12mm (.47 in)	18mm (.7 in)	24mm (.94 in)	36mm (1.4 in)
BLACK ON WHITE		HGeS2215pk	HGeS2315pk	HGeS2415pk	HGeS2515pk	
BLACK ON YELLOW				HGeS6415pk	HGeS6515pk	

TZe TAPE Laminated and durable like HGe tapes, TZe tape is designed for most indoor and outdoor applications. It comes in a variety of extra colors and sizes from 3.5 mm to 36mm.

Flexible ID Tapes - Designed for wrapping around cables and adhesive-to-adhesive flag labels

Tze Flexible ID Tapes	6mm (.23 in)	9mm (.35 in)	12mm (.47 in)	18mm (.7 in)	24mm (.94 in)	36mm (1.4 in)
BLACK ON WHITE		TZeFX221	TZeFX231	TZeFX241	TZeFX251	TZeFX261
BLACK ON YELLOW			TZeFX631		TZeFX651	
BLACK ON RED					TZeFX451	
BLACK ON BLUE					TZeFX551	
BLACK ON GREEN					TZeFX751	


Extra-Strength Adhesive Tapes - Designed for plastics and textured surfaces

	6mm (.23 in)	9mm (.35 in)	12mm (.47 in)	18mm (.7 in)	24mm (.94 in)	36mm (1.4 in)
BLACK ON WHITE	TZeS211	TZeS221	TZeS231	TZeS241	TZeS251	TZeS261
BLACK ON YELLOW		TZeS621	TZeS631	TZeS641	TZeS651	TZeS661
BLACK ON CLEAR		TZeS121	TZeS131	TZeS141	TZeS151	
WHITE ON CLEAR			TZeS135			
BLACK ON MATTE SILVER				TZeS941	TZeS951	TZeS961

Standard Adhesive Tapes - Designed for plastics and textured surfaces and comes in a variety of colors

	6mm (.23 in)	9mm (.35 in)	12mm (.47 in)	18mm (.7 in)	24mm (.94 in)	36mm (1.4 in)
BLACK ON WHITE	TZe211	TZe221	TZe231	TZe241	TZe251	TZe261
BLACK ON CLEAR	TZe111	TZe121	TZe131	TZe141	TZe151	TZe161
BLACK ON MATTE SILVER		TZeM921				
BLACK ON RED		TZe421		TZe441	TZe451	
BLACK ON YELLOW			TZe631	TZe641	TZe651	TZe661
BLACK ON GREEN				TZe741		
BLACK ON BLUE				TZe541		
BLACK ON ORANGE				TZeB41	TZeB51	TZeB61
WHITE ON BLACK	TZe315	TZe325	TZe335	TZe345	TZe355	
WHITE ON CLEAR			TZe135	TZe145		
WHITE ON BLUE		TZe525		TZe545	TZe555	TZe565
WHITE ON GREEN		TZe725				TZe765
WHITE ON RED						TZe465
RED ON WHITE			TZe232	TZe242	TZe252	
BLUE ON WHITE				TZe243		
GOLD ON BLACK			TZe334	TZe344	TZe354	

HSe TUBE



HSe tube[®] is a printable heat shrink tubing designed to be used with the PT-E300, PT-E500, PT-E550W, PT-E550CM, and PT-P750WVP

WIDTH	5.8mm (.23 in)8	.8mm (.34in)	11.7mm (.48in)	17.7mm (.69in)	23.6mm (.92in)
RECOMMEND OUTER DIAMETER	1.7-3.2mm (.07-.13 in)2	.6-5.1mm (.10-.20 in)3	.6-7.0mm (.14-.28in)	5.4-10.6mm (.21-.42 in)7	.3-14.3mm (.29-.56 in)
BLACK ON WHITE	HSe211	HSe221	HSe231	HSe241	HSe251

*Warning, product contains a chemical known to the State of California to cause cancer.

Tamper Evident Tapes - Designed to reveal a security pattern when the label is removed or disturbed

	18mm (.7 in)
BLACK ON WHITE	TZeSE4

Super Narrow, Non Laminated Tape - Designed to label narrow spaces

	8M Long (26.2 inch)
BLACK ON WHITE	TZeN201



HGe Standard and Extra-Strength Adhesive and TZe Flexible ID, Extra-Adhesive and Tamper Evident Tapes have been tested and certified to become a UL recognized component under the UL-969 standard marking and labeling system.

BROTHER MOBILE SOLUTIONS, INC
For more information, call 1-800-543-6144,
or visit www.brothermobilesolutions.com

brother
at your side

Brother[™] is a trademark or registered trademark of Brother Industries, Ltd. in the United States.
All other trademarks and registered trademarks are the properties of their respective companies.
© 2018 Brother Mobile Solutions, Inc., 11030 Circle Point Drive, Suite 100, Westminster, CO 80020

BMS 10-2017 049